

GET Listar Contexto Ocupação

Introdução

Retorna uma lista com diversas opções de ocupação, que podem ser utilizadas na proposta.

Rota

```
/Contexto/ocupacao
```

Authorization

É necessário um token de autorização do tipo **Bearer Token**. O token deve ser fornecido da seguinte forma:

| | |
|-------|--------|
| Token | eyJ... |
|-------|--------|

Headers Request

| | |
|---------------|------------------|
| Accept: | application/json |
| Content-Type: | application/json |

Exemplo de Requisição e Resposta

Exemplo de Request

curl

```
curl --location 'https://app2-crefaz-api-external-stag.azurewebsites.net/api/Contexto/ocupacao' \  
--header 'accept: application/json' \  

```

```
--header 'Content-Type: application/json'
```

Exemplo de Response

json

```
{
  "success": true,
  "data": [
    {
      "id": 1,
      "nome": "Assalariado",
      "ativo": true
    },
    {
      "id": 2,
      "nome": "Funcionário Público",
      "ativo": true
    },
    {
      "id": 3,
      "nome": "Aposentado",
      "ativo": true
    },
    {
      "id": 4,
      "nome": "Pensionista",
      "ativo": true
    },
    {
      "id": 5,
      "nome": "Autônomo / Sem Vínculo Empregatício",
      "ativo": true
    },
    {
      "id": 6,
      "nome": "Profissional Liberal",
      "ativo": true
    }
  ]
}
```

```
},
{
  "id": 7,
  "nome": "Empresário / Proprietário",
  "ativo": true
},
{
  "id": 8,
  "nome": "Outros",
  "ativo": true
}
],
"errors": null
}
```

Headers de Response (5)

| key | Value |
|-------------------|---|
| Content-Type | application/json; charset=utf-8 |
| Date | Fri, 04 Oct 2024 17:58:06 GMT |
| Server | Kestrel |
| Transfer-Encoding | chunked |
| Request-Context | appId=cid-v1:d0033e30-cc70-4961-9727-b7389fb39348 |

Revision #39

Created 22 October 2024 18:04:08 by Gilberto Silva

Updated 23 October 2024 21:42:38 by Gilberto Silva