

POST Consultar Cidade

Introdução

Retorna os dados de uma determinada cidade/UF informada.

Rota

/Endereco/Cidade

Authorization

É necessário um token de autorização do tipo **Bearer Token**. O token deve ser fornecido da seguinte forma:

Token	eyJ...
-------	--------

Headers Request

Accept:	application/json
Content-Type	application/json

Detalhes da API

Campos obrigatórios e seus respectivos tipos

Campos Obrigatórios

Campo	Tipo	Descrição
<input type="text" value="nomeCidade"/>	string	Nome da cidade a ser consultada.
<input type="text" value="uf"/>	string	Unidade Federativa (sigla do estado).

Campos Opcionais

Campo	Tipo	Descrição
Nenhum	-	Não existem campos opcionais.

Exemplo de Requisição e Resposta

Body da Requisição

body
<pre>{ "nomeCidade": "São Paulo", "uf": "SP" }</pre>

Exemplo de Request

curl
<pre>curl --location 'https://app2-crefaz-api-external-stag.azurewebsites.net/api/Endereco/Cidade' \ --header 'Accept: application/json' \ --header 'Content-Type: application/json' \ --data '{ "nomeCidade": "São Paulo", "uf": "SP" }'</pre>

Exemplo de Response

json
<pre>{ "success": true, "data": [{ "cidadeId": 5320, </pre>

```
"cidadeNome": "São Paulo",
"codigoIBGE": 3550308,
"ufId": 25,
"uf": "SP"
}
],
"errors": null
}
```

Headers de Response (5)

Key	Value
Content-Type	application/json; charset=utf-8
Date	Fri, 04 Oct 2024 17:56:31 GMT
Server	Kestrel
Transfer-Encoding	chunked
Request-Context	appld=cid-v1:d0033e30-cc70-4961-9727-b7389fb39348

Revision #6

Created 22 October 2024 18:54:52 by Gilberto Silva

Updated 17 December 2024 11:37:06 by Gilberto Silva